

C2B INTEGRATION REST API v1.0 specification

**Payment System
for International Bank of Azerbaijan**

Document information

Project name:	Open API for Transfers
Document name:	C2B_INTEGRATION REST API v1.0 specification


Version history (in the reversed order)

Version	Date	Authors	Comments
001	2022-10-19	CIT Corporate Integration Squad	First version
002	2023-04-19	CCI Corporate Customer Integration	Second version


Table of contents

1.	Process flow signed	4
2.	Process flow regular payments	5
3.	Business process actions	6
3.1.	POST/payments/signed	6
3.2.	POST/payments/	7
3.3.	GET/payments/	7
3.4.	File status	7
3.5.	Payment status	7
4.	Methods definition and format	8
4.1.	Post signed payments	8
4.2.	Post payments	10
4.3.	Get all payments	12
4.4.	Get individual payments	14
4.5.	Get balance	16
4.6.	Get Account Statement	18
4.7.	Post Salary Payments	21
4.8.	Post signed Salary Payments	23
4.9.	Get all Salary Payments	25
5.	XML structure	27
5.1.	Payment Order XML Structure	27
5.2.	Salary Payment XML Structure	29

1. Process Flow (signed)



2. Process Flow (regular payments)



3. Business process actions in the diagram above (process flow for “signed” and “regular” payments) :

- 3.1. POST/payments/signed** – Participant’s application (client) sends request to generate payments. The payment file is signed with “ASAN IMZA” and it is posted by the service in “BASE64” format. In addition to the file the “External file ID” field can also be sent in the service request. This is meant as a unique ID for the file. The bank accepts the request and checks.
- **Check authorization** – The “Bearer Token” that’s provided by the bank to the client will be checked. If it is false then the response will return an “unauthorized (401) ” error message. Otherwise, in true case it will go to the next step.
 - **Verify adoc signatures** – The adoc file is opened and the authenticity of the signatures will be checked with “ASAN IMZA”. If it is false then the response will return corresponding error , otherwise it will go to the next step.
 - **Check signers provided by participant** – The FIN of signed users will be compared with the FIN of signature authorized persons given to the bank by the client. If it is false then the response will return corresponding error , otherwise will return “success response”. Generated unique ID will return in this response.
 - **Success response** - The transaction execution process will begin after successful verification of the posted data in accordance with the bank’s internal rules. Result information will be obtained with the GET method.

3.2. POST/payments/ – Participant's application (client) sends request to generate payments. The payment file will be posted by the service in "BASE64" format. In addition to the file the "External file ID" field can also be sent in the service request. This is meant as a unique ID for the file. The bank accepts the request and checks.

- **Check authorization** – The "Bearer Token" that's provided by the bank to the client will be checked. If it is false then the response will return an "unauthorized (401)" error message. Otherwise, in true case it will go to the next step.
- **Success response** – The transaction execution process will begin after successful verification of the posted data in accordance with the bank's internal rules. Result information will be obtained with the GET method.

3.3. GET/payments/ - The customer sends a request to find out the status of the payment file. We can find out both the status of the file and the status of all payments on the file with this request. Also , by sending the payment ID only the status of that payment can be found.

3.3.1. GET/payments/{batchNumber} – Result of file details and payment status will be found out by sending batch number

3.3.2. GET/payments/{batchnumber}/paymentId – Result of payments will be found out individually by sending payment ID.

3.4. The possible file statuses are shown below:

- **COMPLETED** – All payments on the file have completed.
- **FAILURE** - All payments on the file have failed.
- **IN_PROGRESS** – All or several payments are in progress.
- **PARTIAL** – There are both successful and failed payments on the file.
- **ERROR** – The request of the POST method is not correct.

3.5. The possible payment statuses are shown below:

- **SUCCESS**
- **IN_PROGRESS**
- **ERROR**

4. Methods definition and format

4.1.POST signed payments

Description	Request to send “signed” payments			
Method	POST/payments/signed			
URL	https://api-test-c2b.abb-bank.az/payments/signed			
Request headers	Content-type	application/json		
	Charset	UTF-8		
	Authorization	Bearer {token}		
Request example	<pre>{ "base64aDoc": "string", "externalReference": "string" }</pre>			
Request parameters	Field	Type	Required	Description
	base64aDoc	String	True	Signed adoc file
	externalReference	String	False	Unique ID
Response type	200		Success response	
	400		Bad Request	
	500		Internal Server Error	
Success response	<pre>{ "data": { "batchNumber": "284924c6-e4ba-49ce-a2b8-986b165d4c57" } }</pre>			

Error response	<pre>{ "statusCode": "ERR2", "statusDesc": "File is not in base64 format", "timeStamp": "2022-11-30 10:39:16" }</pre>			
Error response description	Field	Type	Required	Description
	statusCode	String	true	Status code
	statusDesc	String	true	Error message
	timestamp	String	true	Timestamp

4.2.POST payments

Description	Request to send payments			
Method	POST/payments/			
URL	https://api-test-c2b.abb-bank.az/payments/			
Request headers	Content-type	application/json		
	Charset	UTF-8		
	Authorization	Bearer {token}		
Request example	<pre>{ "base64aDoc": "string", "externalReference": "string" }</pre>			
Request parameters	Field	Type	Required	Description
	base64aDoc	String	True	File in “BASE64” format
	externalReference	String	False	Unique ID
Response type	200	Success response		
	400	Bad Request		
	500	Internal Server Error		
Success response	<pre>{ "data": { "batchNumber": "284924c6-e4ba-49ce-a2b8-986b165d4c57" } }</pre>			
Error response	<pre>{ "statusCode": "ERR2", "statusDesc": "File is not in base64 format", "timeStamp": "2022-11-30 10:39:16" }</pre>			

	}			
Error response description	Field	Type	Required	Description
	statusCode	String	true	Status code
	statusDesc	String	true	Error message
	timestamp	String	true	Timestamp

4.3.GET all payments

Description	Request to get payment and file status			
Method	GET/payments/{batchNumber}			
URL	https://api-test-c2b.abb-bank.az/payments/{batchNumber}			
Request headers	Content-type		application/json	
	Charset		UTF-8	
	Authorization		Bearer {token}	
Request parameters	Field	Type	Required	Description
	batchNumber	String	True	Generated unique ID of file
Response type	200		Success response	
	400		Bad Request	
	500		Internal Server Error	
Success response	<pre>{ "batchNumber": "284924c6-e4ba-49ce-a2b8-986b165d4c57", "status": { "status": "IN_PROGRESS", "description": "IN_PROGRESS" }, "payments": [{ "paymentId": "2289e221-b0df-4985-8c4e-8c6c8a31cc72", "transactionReference": "120INTF220016506", "paymentStatus": { "status": "IN_PROGRESS", "transactionReference": "120INTF220016506" }, "paymentAmount": 22, "recipientAccount": "/AZ66IBAZ40140018409327445353", "paymentTime": "2022-11-30 10:40:05" }] }</pre>			

	<pre>] } </pre>			
Error response	<pre> { "statusCode": "ERR5", "statusDesc": "File with this batch number not found", "timeStamp": "2022-11-30 10:41:00" } </pre>			
Error response description	Field	Type	Required	Description
	statusCode	String	true	Status code
	statusDesc	String	true	Error message
	timestamp	String	true	Timestamp

4.4.GET individual payments

Description	Request to get payment status			
Method	GET/payments/{batchNumber}/paymentId			
URL	https://api-test-c2b.abb-bank.az/payments/{batchNumber}/paymentId			
Request headers	Content-type		application/json	
	Charset		UTF-8	
	Authorization		Bearer {token}	
Request parameters	Field	Type	Required	Description
	batchNumber	String (path variable)	True	Generated unique ID of file
	paymentId	String (query)	True	Generated unique ID of payment
Response type	200		Success response	
	400		Bad Request	
	500		Internal Server Error	
Success response	{ "paymentId": "2289e221-b0df-4985-8c4e-8c6c8a31cc72", "transactionReference": "120INTF220016506", "paymentStatus": { "status": "IN_PROGRESS", "transactionReference": "120INTF220016506" }, "paymentAmount": 22, "recipientAccount": "/AZ66IBAZ40140018409327445353", "paymentTime": "2022-11-30 10:40:05" }			

Error response	<pre>{ "statusCode": "ERR5", "statusDesc": "Payment with this payment number not found", "timeStamp": "2022-11-30 10:42:01" }</pre>			
Error response description	Field	Type	Required	Description
	statusCode	String	true	Status code
	statusDesc	String	true	Error message
	timestamp	String	true	Timestamp

4.5.GET Balance

Description	Request to get Account Balance			
Method	GET/payments/account/balance			
URL	https://api-test-c2b.abb-bank.az/payments/account/balance			
Request headers	Content-type		application/json	
	Charset		UTF-8	
	Authorization		Bearer {token}	
Request parameters	Field	Type	Required	Description
	account	String	True	IBAN or Account number
Response type	200		Success response	
	400		Bad Request	
	500		Internal Server Error	
Success response	{ "accountNumber": "40050019441853946204", "currency": "AZN", "availableBalance": 0 }			
Error response	{ "statusCode": "ERR1", "statusDesc": "Unknown key was supplied. Check your input", "timeStamp": "2022-11-16 09:29:00" }			
	Field	Type	Required	Description

Error response description	statusCode	String	true	Status code
	statusDesc	String	true	Error message
	timestamp	String	true	Timestamp

4.6.GET Account Statement

Description	Request to get Account Statement			
Method	GET/payments/account/statement			
URL	https://api-test-c2b.abb-bank.az/payments/account/statement			
Request headers	Content-type	application/json		
	Charset	UTF-8		
	Authorization	Bearer {token}		
Request parameters	Field	Type	Required	Description
	account	string	True	IBAN or Account number
	from-date	String (YYYY-MM-DD)	True	Date filter for payments (start date)
	to-date	String (YYYY-MM-DD)	True	Date filter for payments (end date)
	page-size	integer	True	Transactions in per page
	page	integer	True	page
	operation-type	string	False	• A • D • C If Oper-type is null then by default it will be: A

Response type	200		Success response	
	400		Bad Request	
	500		Internal Server Error	
Success response	{ "accountInfo": { "statementDate": "2023-02-23", "accountBranch": { "branchNumber": "120", "branchName": "MUSHTERI XIDMETI DEPARTAMENTI" }, "customerName": "AZERCELL TELEKOM MAHDUD MASULIYYATLI CAMIYYATI", "voen": "9900022721", "accountNumber": "40050019449310375120", "currency": "AZN" }, "transaction": { "drSum": 128717.920, "crSum": 0, "openingBalance": 36696.35, "closingBalance": 41591.43, "pageCount": 20, "currentPage": 1, "pageSize": 5, "itemsCount": 97, "transactions": [{ "trnRef": "120FTRQ211410511", "drAmount": 36696.35, "crAmount": 0, "drCr": "D", "trnDesc": "HESABDAKI QALIQ HESAB AID EDILIR", "trnDate": "21.05.2021", "counterParty": null, "beneficiaryTin": "" }, { "trnRef": "120FTRQ211440024", "drAmount": 34030.14, "crAmount": 0, "drCr": "D", "trnDesc": "HESABDAKI QALIQ HESAB AID EDILIR",			

	<pre> "trnDate": "24.05.2021", "counterParty": null, "beneficiaryTin": "" }, { "trnRef": "120FTRQ211450019", "drAmount": 57837.2, "crAmount": 0, "drCr": "D", "trnDesc": "HESABDAKI QALIG HESAB AID EDILIR", "trnDate": "25.05.2021", "counterParty": null, "beneficiaryTin": "" }, { "trnRef": "127se05211450003", "drAmount": 76.61, "crAmount": 0, "drCr": "D", "trnDesc": "FT21126Z00Q6 113IPXO211270813 AZ66IBAZ40050019449310375120 AZERCELL TELECOM MMC OB1705S/100-16 REFERENSLI MT199 ESASEN", "trnDate": "25.05.2021", "counterParty": null, "beneficiaryTin": "" }] } } </pre>			
Error response	<pre> { "statusCode": "ERR3", "statusDesc": "Debit account is not correct", "timeStamp": "2023-02-23 10:55:39" } </pre>			
Error response description	Field	Type	Required	Description
	statusCode	String	true	Status code
	statusDesc	String	true	Error message
	timestamp	String	true	Timestamp

4.7.POST signed Salary payments

Description	Request to send “signed” payments			
Method	POST/payments/salary/signed			
URL	https://api-test-c2b.abb-bank.az/payments/salary/signed			
Request headers	Content-type		application/json	
	Charset		UTF-8	
	Authorization		Bearer {token}	
Request example	{ "base64aDoc": "string", "externalReference": "string" }			
Request parameters	Field	Type	Required	Description
	base64aDoc	String	True	Signed adoc file
	externalReference	String	False	Unique ID
Response type	200		Success response	
	400		Bad Request	
	500		Internal Server Error	
Success response	{ "data": { "batchNumber": "284924c6-e4ba-49ce-a2b8-986b165d4c57" } }			
Error response	{ "statusCode": "ERR2", }			

	<pre> "statusDesc": "File is not in base64 format", "timeStamp": "2022-11-30 10:39:16" } </pre>			
Error response description	Field	Type	Required	Description
	statusCode	String	true	Status code
	statusDesc	String	true	Error message
	timestamp	String	true	Timestamp

4.8.POST Salary payments

Description	Request to send payments			
Method	POST/payments/salary			
URL	https://api-test-c2b.abb-bank.az/payments/salary			
Request headers	Content-type	application/json		
	Charset	UTF-8		
	Authorization	Bearer {token}		
Request example	<pre>{ "base64aDoc": "string", "externalReference": "string" }</pre>			
Request parameters	Field	Type	Required	Description
	base64aDoc	String	True	File in “BASE64” format
	externalReference	String	False	Unique ID
Response type	200	Success response		
	400	Bad Request		
	500	Internal Server Error		
Success response	<pre>{ "data": { "batchNumber": "284924c6-e4ba-49ce-a2b8-986b165d4c57" } }</pre>			

Error response	<pre>{ "statusCode": "ERR2", "statusDesc": "File is not in base64 format", "timeStamp": "2022-11-30 10:39:16" }</pre>			
Error response description	Field	Type	Required	Description
	statusCode	String	true	Status code
	statusDesc	String	true	Error message
	timestamp	String	true	Timestamp

4.9.GET all salary payments

Description	Request to get payment and file status			
Method	GET/payments/salary/{batchNumber}			
URL	https://api-test-c2b.abb-bank.az/payments/salary/{batchNumber}			
Request headers	Content-type		application/json	
	Charset		UTF-8	
	Authorization		Bearer {token}	
Request parameters	Field	Type	Required	Description
	batchNumber	String	True	Generated unique ID of file
Response type	200		Success response	
	400		Bad Request	
	500		Internal Server Error	
Success response	{ "batchNumber": "284924c6-e4ba-49ce-a2b8-986b165d4c57", "status": { "status": "IN_PROGRESS", "description": "IN_PROGRESS" }, "payments": [{ "paymentId": "2289e221-b0df-4985-8c4e-8c6c8a31cc72", "transactionReference": "120INTF220016506", "paymentStatus": { "status": "IN_PROGRESS", "transactionReference": "120INTF220016506" } }] }			

	<pre> }, "paymentAmount": 22, "recipientAccount": "/AZ66IBAZ40140018409327445353", "paymentTime": "2022-11-30 10:40:05" }] } </pre>			
Error response	<pre> { "statusCode": "ERR5", "statusDesc": "File with this batch number not found", "timeStamp": "2022-11-30 10:41:00" } </pre>			
Error response description	Field	Type	Required	Description
	statusCode	String	true	Status code
	statusDesc	String	true	Error message
	timestamp	String	true	Timestamp

5. XML Structure

5.1.Payment Order XML Structure

```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<root>
  <payments>
    <payment>
      <!--Optional-->
      <type></type>
      <rrn></rrn>
      <!--Optional-->
      <date></date>
      <account></account>
      <amount></amount>
      <!--Max 35 symbol-->
      <recipientName></recipientName>
      <!--Optional and Max 35 symbol-->
      <recipientAddress1></recipientAddress1>
      <!--Optional and Max 35 symbol-->
      <recipientAddress2></recipientAddress2>
      <!--Optional and Max 35 symbol-->
      <recipientAddress3></recipientAddress3>
      <!--Max 35 symbol-->
      <recipientAccount></recipientAccount>
      <taxId></taxId>
      <!--Optional:-->
      <pinId></pinId>
      <recipientBankCode></recipientBankCode>
      <!--Optional-->
      <feeAccount></feeAccount>
      <recipientSWIFT></recipientSWIFT>
```

```
<!--Max 35 symbol--->
<description1></description1>
<!--Optional and Max 35 symbol-->
<description2></description2>
<!--Optional and Max 35 symbol-->
<description3></description3>
<!--Optional and Max 35 symbol-->
<description4></description4>
<!--Optional-->
<!--Y/N-->
<urgent></urgent>
</payment>
</payments>
</root>
```

5.2.Salary Payment XML Structure

```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<root>
<payments>
<payment>
<!--Mandatory--->
<rrn></rrn>
<!--Mandatory--->
<account></account>
<!--Mandatory--->
<amount></amount>
<!--Mandatory--->
<recipientAccount></recipientAccount>
<!--Mandatory and Max 35 symbol--->
<description1></description1>
<!--Optional and Max 35 symbol-->
<description2></description2>
<!--Optional and Max 35 symbol-->
<description3></description3>
<!--Optional and Max 35 symbol-->
<description4></description4>
</payment>
</payments>
</root>
```